ArmstrongFlooring™

Twinnings™

Grupo Cosmos

TWINNINGS™ Homogeneous Sheet

ArmstrongFlooring™

K200-50091
Light Beige

K200-50071
Mild Green

K200-50371
Light Green

K200-50061
Ice Blue

K200-50361
Blue Wave

K200-50561
Night Blue

K200-50021
Alamo

K200-50041
Mild Beige

K200-50321
Citrus

K200-50101
Grey Mountain



K200-50401
Light Grey

K200-50591
Mild Grey

Product Structure diagram

① PUR treatment

② Homogeneous flooring

- High performing flexible homogeneous multipurpose flooring
- Directional design, The decorative effect is more flexible
- Densely compacted surface for improved anti pollution performance
- Special maintenance treatment; ease of maintenance
- Special formulation for improved anti-bacterial and anti-mildew

PUR special maintenance treatment

Compacted calendered homogeneous floorcovering

Technical Data

Characteristics	Standard	Unit	Result
Type of flooring	ISO 10581		Homogeneous Sheet
Material			Polyvinyl chloride
Coating			PUR
Safety criteria			
Flammability	EN 13501-1	class	B_{fl}-s1
Slip resistance	DIN 51130 / DIN EN 16165	group	R9
Dynamic coefficient of friction	EN 13893 / EN 14041	class	DS
Performance behaviour			
Sheet width	ISO 24341-EN 426	m	2
Sheet length	ISO 24341-EN 426	m	15/20
Overall thickness	ISO 24346-EN 428	mm	2.0
Wearlayer thickness	ISO 24390-EN 429	mm	2.0
Binder conternt	EN ISO10581	Type	TypeII
Residual indentation	ISO 24343-1-EN433	mm	<0.1
Dimensional stability	ISO 23999-EN 434	-	X:<0.4% Y:<0.4%
Color fastness	ISO 105-B02	rating	⩾6
Resistance to staining	EN 423		No Stain 0
Classification			
Domestic	ISO 10874-EN 685	class	23 heavy duty
Commercial	ISO 10874-EN 685	class	34 very heavy duty
Industrial	ISO 10874-EN 685	class	43 heavy duty
Additional property			
Castor Chair		Antistatic Behavious	
Underfloor Heating		Chemical Resistance	

NO DOP

Formaldehyde Free

ArmstrongFlooring™

Walk On. Walk Strong.™

Grupo Cosmos

Twinnings™

Website: www.armstrongflooring.asia
Hotline: 400-606-0866

YS-SF- Twinnings™ - 0125 -PRC Printed in China

The above information is for reference only. Our company reserves the right to modify the details mentioned at any time.
For all contents in this manual, our company reserves all legal rights and final interpretation rights.